# **BMG560**



### CHEMICAL RESISTANT FLOCK LINED NITRILE GAUNTLET

Flock-lined nitrile gauntlet with a textured palm to handle various liquids and chemicals\*.

#### FEATURES

- > Flock-lined for extra comfort and to ease donning
- Textured palm and fingertips to enhance grip in wet conditions
- > CE category III approved

Benchmark

- > Straight cuff
- > Latex free ideal for people with Type I latex sensitivity
- > Approved for food-handling
- > Thickness: 0.38mm
- > Length: 330mm



#### SUITABLE FOR


#### **Typical Industries**

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

### Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling







## **Benchmark**

## **BMG560**




#### PRODUCT INFORMATION

MATERIAL	Nitrile
COLOUR	Green
LENGTH (mm)	330
CUFF STYLE	Gauntlet

#### ORDERING DETAILS

SIZE	ITEM NO.	PACKAGING
7/S	BMG00560ED	Individually bagged
8/M	BMG00560EF	
9/L	BMG00560EH	10 pairs per bag
10/XL	BMG00560EJ	120 pairs per case
11/XXL	BMG00560EL	

#### **CERTIFICATION LEGENDS**





FOOD CONTACT DIRECTIVE EC 10/2011

#### **RECOMMENDATIONS FOR USE**

- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

#### **RESISTANCE TO C** EATION - EN ISO 374: 2016

40% Hydrofluoric acid

37% Formaldehvde

/droxide

CHEMICAL PERMEATI				
CODE	CHEMICAL			
J	n-Heptane			
K	Sodium hydroxide 40%			
L	Sulphuric acid 96%			
M	65% Nitric acid			
N	99% Acetic acid			
0	25% Ammonium hydrox			
Р	30% Hydrogen peroxide			

4	LIN 100 07 4. 2010		
	TYPE OF GLOVES	BREAKTHROUGH TIME	
	А	≥30 min for at least 6 chemicals	
	В	≥30 min for at least 3 chemicals	
	С	≥10 min for at least 1 chemical	

PROTECTION AGAINST MICRO-ORGANISMS EN 374-5 VIRUS = Glove has passed

ISO 16604: 2004 (method B)

CODE CHEMICAL

в

D

G

н

Methanol

Dichloromethane

Carbon Disulfide

Tetrahydrofurane S Ethyl acetate T

Acetone Acetonitrile

Toluene

Diethylamine

GLOBUS

#### **EUROPE**

#### www.globusgroup.com

- E: sales@globus.co.uk
- +44 (0)161 877 4747 T:
- F: +44 (0)161 877 4746

#### **MIDDLE EAST & AFRICA**

#### www.globusgroup.com/gcc

- E: gcc@globusgroup.com
- T: +97148829962
- F: +97148829963

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

#### **GLOBUS AMERICAS**

#### www.globusgroup.com

E: americas@globusgroup.com

© 2021 Globus (Shetland) Ltd | BMK-DATA-BMG560-1123 1

EC compliance certificate delivered by the notified body. SATRA Technology Europe, Bracetown Business Park, Clonee, Dublin, D15 YN2P, Ireland (Notified Body No, 2777)

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.